

# Treston Dual LED Lighting

Treston’s dual intensity LED light (available with built in shield) features a High/Low/Off switch that allows the user to control the amount of light used. They can easily be attached to light balancer rails, shelves, and other surfaces. Optional magnetic mounting bracket for attaching the light fixture to a metal shelf allows for greater functionality and maneuverability.
LED light fixtures are a great addition to any workstation or workplace, where energy efficiency, durability, and longevity are important factors. LEDs boast a long life span, 10x longer than traditional florescent lamps, and use up to 90% less power than traditional lighting. Treston LED lights have a lifespan of up to 100,000 hours (11 1/2 years powered 24 hrs/day).

- High/Low/Off switch
- Daisy Chain up to 10 fixtures with 1 power source for a continuous length of lighting, with minimum wiring
- 10ft power cord included
- Operating voltage: 90 to 264 V ac (50 or 60 Hz), Power factor > 0.95 on high setting at 120 V ac
- Lumen output: 600 (±5%) per foot, typical at 25 °C (77 °F)
- Light color: Daylight white
- Color temperature (CCT): 5000K (±300K)
- UL approved, CE certified
- Light balancer rail hardware included. Optional magnetic mount for attachment to metal surfaces. Swivel bracket available for positioning light throughout workspace.

Treston's LED lights are now available with a built-in motion sensor! See products below.

## Treston Dual LED Lighting (23)

| Code | Product | ESD | Color temperature (K) | Illuminance (lux) | Lifetime (hrs) | Dimmable | Operating temperature F | Enclosure protection | Color name | Packaging type | Warranty years | Gross weight (lbs) | Available for the following products | Energy efficiency class | Availability USA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 14-9500039 | Task light bracket, accepts 1/2” pin style task lights | Yes | | | | | | | | | 5 | | | | |
| 14-9502172 | Ultra-slim white magnifying lamp with 7 inch dia. precision | No | 6000K | | >50000 | Yes | | | | | 2 | | | | |
| 14-9502173 | Omega 5 Magnifier | No | | | | | | | | | 2 | | | | |
| 14-95035171 | LED Light with built in skirt/shield, 22.44 | Yes | 5000K | 1200 | >50000 | | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035172 | LED Light with built in skirt/shield, 33.46 | Yes | 5000K | 1200 | | | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035173 | LED Light with built in skirt/shield, 44.48 | Yes | 5000K | 1200 | | | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench | | |

| Code | Product | ESD | Color temperature(K) | Illuminance (lux) | Life time (hrs) | Dimmable | Operating temperature F | Enclosure protection | Color name | Packaging type | Warranty years | Gross weight (lbs) | Available for the following products | Energy efficiency class | Availability USA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 14-95035174 | LED Light with built in skirt/shield, 22.44", magnetic | Yes | 5000K | 1200 | | | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035175 | LED Light with built in skirt/shield, 33.46", magnetic | Yes | 5000K | 1200 | | | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, TPB packing bench, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035176 | LED Light with built in skirt/shield, 44.48", magnetic | Yes | 5000K | 1200 | >50000 | | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, TPB packing bench, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035401 | 25.6"L LED light, built in shield, motion sensor, overhead | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035402 | 36.7"L LED light, built in shield, motion sensor, overhead | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035403 | 47.8"L LED light, built in shield, motion sensor, overhead | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench | | |

| Code | Product | ESD | Color temperature(K) | Illuminance (lux) | Life time (hrs) | Dimmable | Operating temperature F | Enclosure protection | Color name | Packaging type | Warranty years | Gross weight (lbs) | Available for the following products | Energy efficiency class | Availability USA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 14-95035404 | 25.6"L LED light, built in shield, motion sensor, Magnetic | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035405 | 36.7"L LED light, built in shield, motion sensor, Magnetic | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench | | |
| 14-95035406 | 47.8"L LED light, built in shield, motion sensor, Magnetic | | 5000K | 1200 | >50000 | No | -13°F - 113°F | IP50 | | | 2 | | Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, TPB packing bench, Basic Upright Frame, Concept Ergo workbench | | |
| QS-1022325 | Workmaster under shelf light 36" LED | Yes | | | | | | | White | | 10 | 10 | Workmaster Workbench | | |
| QS-1022326 | Workmaster under shelf light 48" LED | Yes | | | | | | | White | | 10 | 12 | Workmaster Workbench | | |
| QS-1022971-D | MTS Econo light assembly 48L SKY BLUE | No | | | | | | | Black | | 10 | 33 | Workmaster Workbench | | |
| QS-1022972-D | MTS Econo light assembly 60L SKY BLUE | No | | | | | | | Black | | 10 | 35 | Workmaster Workbench | | |

| Code | Product | ESD | Color temperature(K) | Illuminance (lux) | Life time (hrs) | Dimmable | Operating temperature F | Enclosure protection | Color name | Packaging type | Warranty years | Gross weight (lbs) | Available for the following products | Energy efficiency class | Availability USA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| QS-1022973-D | MTS Econo light assembly 72L SKY BLUE | No | | | | | | | Black | | 10 | 40 | Workmaster Workbench | | |
| QS-1022975-D | MTS Econo light assembly 96L SKY BLUE | No | | | | | | | Black | | 10 | 48 | Workmaster Workbench | | |
| QS-2012302 | Dimension 4 light assembly 60" W/8'CORD | No | | | | | | | Ivory | | 10 | 35 | Dimension 4 Workstation | | |
| QS-2012303 | Dimension 4 light assembly 72" W/8'CORD | No | | | | | | | Ivory | | 10 | 42 | Dimension 4 Workstation | | |